





ULX-D™

ULX-D



ULX-D



ULX-D



15 12



ULX-D (AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D

ULX-D™

ULXD4



ULXD4D



ULXD4Q



24- /48

20 20

120

60

72

8

8

23

63

A 256

6

A 600 A

A /

1/2

120 

A  256

 900

11

2 AA

 200

11

100

 58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63



Dante IP

- Dante
- Dante
- ULXD4D ULXD4Q

ULX-D



ULX-D

- ULXD4D ULXD4Q

470 932
>70
<2.9
-98 10 ⁻⁵
100
20 -20
@ +10 >120 A 130 A
<0.1%
12 @ +10
-18 (0 ↘) -50 (122 ↘)



4 171 197 42
4 4 482 274 44
4 0.9
4 3.36
4 3.45
4 15 @ 0.6 A
4 100 - 240 A 50-60 0.26 A
4 100 - 240 A 50-60 0.32 A
-18 +42 1
¼ 6.35 +12 4
+18 -12
4 10/100
4 4 1
4
4 4

1 86 66 23
2 256 51
1 142
2 340
@ 10 mW 900 11
2 AA 11
1 , 10 , 20
1
2
1 ¼
2