

UHF



AEW-R4100

AEW-R5200

AEW-T1000a UniPak™


AEW-T3300a

AEW-T4100a

AEW-T5400a

AEW-T6100a

AEW-R5200



A/B

MHz

'EDIT'

'TX LO':

'TX HI':

'TX LOCK'

- (ALL.LOC, MUT.LOC, PWR.LOC)

'RX LOCK'


- (ALL.LOC, PC.LOC, RX.LOC)

'TX/RX NAME'

/

'MUTE'

AEW-4000 / 5000



FCC 15

INDUSTRY CANADA R.S.S.210

1)

2)

AC

- 1. 6.3mm (50mV-XLR) (25mV - XLR)
- 2. 6.3mm 'V'
- 3.
- 1. AEW-R4100
- 2. AEW-R5200 BNC BNC-BNC
- BNC BNC BNC
- BNC-BNC "A" "B" BNC
- 1. 6.3mm
- 2. AEW-R5200 2 1
- 1. IEC 100~240V-50/60Hz
- 2. AEW-R5200 IEC AEW-R5200 IEC
- (Link)
- IntelliScan™ AEW-R4100 21 (AEW-R4100 AEW-R5200)
- AEW-R5200 AEW-5000 AEW-R5200
- (2)
- 1. "Master" "Link In"
- (AEW-R5200 1 "Master", 2 "Slave"
- 2. "Link Out"
- 3. "Link In"
- 4. "Link Out"
- 5.
- AEW-R5200 AEW-R4100

AEW-4000/5000 "a" UHF

AEW-4000/5000 "a" 996
 25kHz D 55.500~680.375MHz G
 721.500~746.375MHz 40

UHF

UHF


Artist Elite

AEW-R5200

IntelliScan™

1

1




2

1

5.
 - i. MODE/SET 2 NOLOC
 - ii. MODE/SET "EDIT"
 - a NOLOC -
 - b ALLLOC - LOCKED
 - c PCLOC -
 - d RXLOC -
6. (/)
 - i. MODE/SET 3 ANTPWR OFF
 - ii. MODE/SET "EDIT" STORED
7.
 - i. MODE/SET 4 SQL
 - ii. MODE/SET "EDIT" STORED
8. (/)
 - i. MODE/SET 5 METER NORMAL
 - ii. MODE/SET "EDIT" MODE/SET NORMAL HOLD STORED
9.
 - i. MODE/SET 6 PRESET
 - ii. MODE/SET LOAD PREST 1 PRESTS DEF MODE/SET LOADD
10.
 - i. MODE/SET 6 PRESET
 - ii. MODE/SET LOAD STORE

4.
 - i. SET "MENU" 2 +6D
 - ii. SET "EDIT" (+12dB,+6dB,0dB -6dB +12dB,+6dB 0dB +12dB,+10dB,+8dB,+6dB,+4dB, +2dB,0dB,-2dB,-4dB SET STORED
5. /
 - i. SET "MENU" 3 NOLOC
 - ii. SET "EDIT" a NOLOC - MUTE LOCKED
 - b ALLLOC -
 - c MUTLOC -
 - d PWRLOC -
6.
 - i. SET 4 "MENU" 4* PRESET (*)
 - ii. SET 5 LOADD PREST 1 PRESTS DEF SET LOADD
7.
 - i. SET 4 "MENU" 4* PRESET (*)
 - ii. SET 5 LOADD STORE SET PREST 1 PRESTS SET
 - iii. SET STORED SET
8. ()
 - i. MODE/SET 4 MIC
 - ii. MODE/SET MIC INSTR STORED
9. QUIT SET



1.5V AA 5

1.

(AFÄxÄ NIG, EÖaJ;Ä

UniPak

1. () (8)
2. AA 5 () ()
- 3.

1. (10) (11)
2. AA 5 () ()
- 3.

4

()

(/)

AEW-4000 / 5000

UniPak

	D	655500	655500	655500 ~ 680375 (0.025MHz	
	G	72 1500	72 1500	72 1500 ~ 746375 (0.025MHz	
		RF LOW	RF LOW	RF LOW -	RF HI -	
		+6dB	+6dB	-6dB ~ +12dB (2dB	
/		NOLOC	NOLOC	NOLOC -	ALLLOC -	
				MUTLOC -	PWRLOC -	
		MIC	MIC	MIC -	INSTR -	
		PRESET	PRESET	LOAD -	STORE -	
		LOAD	DEF	DEF -	PRSET 1 ~ PRSETS -	1~5
		STORE	PRSET 1	PRSET 1 ~ PRSETS -	1~5	
		QUIT	QUIT	SET		-
	*					

1- AEW-T1000a

	D	655500	655500	655500 ~ 680375 (0.025MHz	
	G	72 1500	72 1500	72 1500 ~ 746375 (0.025MHz	
		RF LOW	RF LOW	RF LOW -	RF HI -	
		+6dB	+6dB	-6dB 0dB +6dB +12dB		
**		+6dB	+6dB	0dB +6dB +12dB		
/		NOLOC	NOLOC	NOLOC -	ALLLOC -	
				MUTLOC -	PWRLOC -	
		PRESET	PRESET	LOAD -	STORE -	
		LOAD	DEF	DEF -	PRSET 1 ~ PRSETS -	1~5
		STORE	PRSET 1	PRSET 1 ~ PRSETS -	1~5	
		QUIT	QUIT	SET		-
	*					
	**	6dB				

2- AEW-T3300a, AEW-T4100a, AEW-T5400a, AEW-T6100a

	D	FRQ	655500	655500 ~ 680375 (0.025MHz	
	G	FRQ	72 1500	72 1500 ~ 746375 (0.025MHz	
		SCAN				-
		NOLOC	NOLOC	NOLOC -	ALLLOC -	
				PCLOC -	R×LOC -	
		ANTPWR	OFF	OFF -	ON -	
		SQL	-(1	15 (2dB	
		METER	NORMAL	NORMAL -	HOLD -	
		PRESET	DEF	LOAD -	STORE -	
		LOAD	DEF	DEF -	PRSET 1 ~ PRSETS -	1~5
		STORE	PRSET 1	PRSET 1 ~ PRSETS -	1~5	
		QUIT	QUIT	MODE/SET		-
	*					

3- AEW-R4100/AEW-R5200

AEW-4000 / 5000

(AF
(Lo-Z MIC
(AF INSTR
(Hi-Z
5 1

1. MODE/SET 6 PRESET
(SET 5 PRESET
SET 4 PRESET
2. MODE/SET SET LOAD] STORE
3. MODE/SET SET PREST 1
4. PREST 1 PRESTS (
5. MODE/SET SET
STORE]
i. MODE/SET SET
STORE]
ii.
.1 MODE/SET SET
.2 R 2,1 9
.3 MODE/SET SET
.4 SET STORE]
.5 MODE/SET SET MODE/SET SET ESCAPE

1. MODE/SET 6 PRESET
(SET 5 PRESET
SET 4 PRESET
2. MODE/SET SET LOAD]
3. MODE/SET SET DEF
4. PREST 1 PRESTS (
5. MODE/SET SET LOAD]

1. MODE/SET 6 PRESET
(SET 5 PRESET
SET 4 PRESET
2. MODE/SET SET LOAD]
3. MODE/SET SET DEF
4. MODE/SET SET LOAD]
5. MODE/SET SET LOAD]

AEW

D

D - 1			D - 2			D - 3		
- MHz *			- MHz *			- MHz *		
44	655.500	1	44	655.875	1	44	655.500	
45	658.000		45	656.250		44	655.750	2
45	658.375		45	657.500		45	656.625	
45	659.250		45	658.500		45	656.875	
45	659.500		45	659.750		45	658.500	
45	661.500		45	660.000		45	658.750	
45	661.750	6	45	660.500		45	659.500	5
46	727.125		45	661.750	7	46	662.750	
46	729.125	2	46	664.375		46	663.000	
47	729.875		46	665.500	2	46	665.250	3
47	736.875	2	47	671.625		47	671.250	
48	738.250		47	672.000	2	47	672.375	
48	738.500		48	674.000		47	673.125	3
48	739.375		48	674.500		48	674.125	
48	740.875		48	675.500		48	674.500	
48	741.500		48	675.750		48	675.375	
48	743.000		48	676.750		48	675.625	
48	744.125		48	678.250	6	48	678.625	
48	745.500	8	49	680.250	1	48	679.125	6
19			19			19		

G

G - 1			G - 2			G - 3		
- MHz *			- MHz *			- MHz *		
52	722.125	6	52	721.750	5	52	722.250	7
52	722.625		52	724.125		52	722.500	
52	723.375		52	724.625		52	723.125	
52	723.625		52	724.875		52	724.375	
52	725.500		52	725.875		52	724.625	
52	725.750		53	726.125	5	52	725.125	
53	726.875	4	53	728.625		52	725.375	
53	727.125		53	729.250		53	728.750	4
53	729.125		53	729.625		53	729.000	
53	729.875		53	732.125		53	730.125	
54	736.875	6	54	736.000	7	53	731.000	
54	738.250		54	736.250		54	738.375	5
54	738.500		54	737.250		54	738.625	
54	739.375		54	738.750		54	739.125	
54	740.875		54	740.625		54	741.125	
54	741.500		54	741.000		54	741.375	
55	743.000	5	54	741.750		55	742.375	5
55	744.125		55	742.000	4	55	742.625	
55	745.500		55	743.625		55	744.625	
55	745.750		55	744.250		55	745.125	
55	746.375		55	744.500		55	745.375	
21			21			21		

*

UHF	, 655.500 ~ 680.375 MHz (D)
	721.500 ~ 746.375 MHz (G)
996	(25 kHz)
	±0.005%,
	FM
	±5 kHz
	100 (
	5 °C 45 °C
	70 Hz 15 kHz

AEW-T1000a UNIPAK™

	35mW ;	10mW (
(/	110 dB A-	/ 100 dB A-
(1.5V AA 5	X 2
	185mA ;	165mA (
	8 ;	10 (
	66.0 mm	x 87.0 mm x 24.0 mm
(125	

AEW-R4100 AEW-R5200

	60 dB
	115 dB 40 kHz
	(IEC 75 kHz
	1% (±10 kHz 1 kHz
	20 dBµV 70dB 5kHz (IEC
	65.75 MHz, 10.7 MHz
("0"	
(XLRM)	25 mV(1kHz, ±5kHz , 10k
(6.3mm)	50 mV(1kHz, ±5kHz , 10k
	(AEW-R5200 ,
	AEW-R4100
	3 0 / -6 / -12 dB
	6.3mm
	10 mV + 10 mW 1kHz, ±5kHz , 32
	220 mV + 220 mW 32
(AEW-R5200	6.3mm
	10-12V, 20mA, (BNC
(AEW-R5200	10 BaseT RJ45 (
(AEW-R4100	100-240V, 50/60 Hz, 8
(AEW-R5200	100-240V, 50/60 Hz, 15 (5A

	35mW ;	10mW (
	110 dB A-	
AEW-T3300a		
AEW-T4100a		
AEW-T5400a		
AEW-T6100a		
(1.5V AA 5	X 2
	185mA ;	165mA (
	8 ;	10 (
AEW-T3300a, AEW-T5400a	239.0 mm	50.0 mm
AEW-T4100a, AEW-T6100a	237.0 mm	48.0 mm
(
AEW-T3300a	270	
AEW-T4100a	276	
AEW-T5400a	285	
AEW-T6100a	275	
	AT8456a Quiet-Flex™	